

TWIN MIDI SV

AMBIENTI /

FRESH & PRE-PACKAGED

eurocryor
eptarefrigeration


PURO STILE ITALIANO




BEST ENERGY CLASS*




Product Categories



Cheese




Dairy products



Delicatessen



Drinks



Fruit and Vegetables




Pastries



Pre-packed fruit and vegetables



Sandwiches



Pre-packed fish



Chicken



Meat

Follow us on: by Epta

TWIN MIDI SV

AMBIENTI /


FRESH & PRE-PACKAGED

PURO STILE ITALIANO

Technical Features



Off-cycle
defrost



Remote
condensing
unit



Ventilated



LED lighting



Ventilated
High Eff

Product Range

TWIN MIDI SV						
Length - Lunghezza - Longueur Länge - Longitud mm		1250	1875	2500	3750	EOL
1 SHELF		•	•	•	•	•
2 SHELVES		•	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	1S	2,90	4,34	5,79	8,69	2,18
	2S	2,90	4,34	5,79	8,69	2,18
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	1S	1,98	2,97	3.96	5,94	1.3
	2S					
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm		40.00				

TWIN MIDI SV


AMBIENTI /

FRESH & PRE-PACKAGED


eurowor
eptarefrigeration

PURO STILE ITALIANO


Cross Sections




LINEAR -1 SHELF - FRONT 250




EOL -1 SHELF - FRONT 250




LINEAR -2 SHELVES - FRONT 250



EOL -2 SHELVES - FRONT 250



LINEAR -1 SHELF - FRONT 450



EOL -1 SHELF - FRONT 450


TWIN MIDI SV

AMBIENTI /


FRESH & PRE-PACKAGED

eurowor
eptarefrigeration

PURO STILE ITALIANO



LINEAR -2 SHELVES - FRONT 450



EOL -2 SHELVES - FRONT 450

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.